

ISOTTA

Made in Italy
2026

A horizontal bar with three equal segments of green, white, and red, representing the Italian flag.

Steering to the perfection

For more than three decades we have combined advanced technology with the timeless values of Italian craftsmanship. Every steering wheel is not only manufactured, but truly crafted within our three plants in Ferrara and Rovigo, where design culture, engineering know-how, and manual skill meet in a continuous dialogue.

Each product is born from an idea developed by our designers, translated into prototypes, refined through testing, and completed in production with meticulous hand finishing. The finest italian leather grip with hand-made cross stitching, the anodized metal surfaces, the precise geometry of the spokes every detail reflects a passion for accuracy and an aesthetic sense that belongs to Italian tradition.

Innovation plays a central role: patented systems, ergonomic solutions, and constant research ensure that functionality and style always go hand in hand. Independent laboratories certify the quality and performance of materials, confirming their reliability for demanding marine applications.

Made in Italy is not just a label, but a guarantee of authenticity, care, and identity. It represents a way of working that respects tradition while embracing innovation, giving shape to products that stand out for both durability and elegance.

Thanks to this philosophy, our steering wheels are chosen by some of the world’s most prestigious ship-yards, becoming a symbol of excellence recognized internationally.

CONTENTS

ISM SYSTEM (Intelligent Steering Module)

New	ISM08	pp. 4 - 5
	ISM07	pp. 6 - 7
	ISM05 ALL-IN-ONE	pp. 8 - 9
	PAGINA ISOTTA + SIMRAD	p. 10
	PAGINA ISOTTA + GARMIN	p. 11
	ISM02 + ISM04	p. 12
	ISM05 + ISM01	p. 13

HEATED

HEATED	pp. 14 - 15
--------	-------------

LEATHER STEERING WHEEL

New	ZEFIRO	pp. 16 - 17
New	LYRA	pp. 18 - 19
New	ONDA	pp. 20 - 21
New	RIV.8	pp. 22 - 23
New	NEXA	p. 24
New	KRATOS	p. 25
	QUARK	p. 26
	RIV- 7	p. 27
	FRASCO	p. 28
	UNICA	p. 29
	PRIN20	p. 30
	XO	p. 31
	ADMETO	p. 32
	FANETE	p. 33
	MESOLA	p. 34
	DAPONTE	p. 35
	CARLOTTA ST	p. 36
	CARLOTTA SAT ST	p. 37
	TIVOLI	p. 38
	BERRA SP	p. 39
	BERRA FL	p. 39
	POLARIS	p. 40
	ARES	p. 40
	TORINDI	p. 41
	GRAFFIO	p. 41
	ROVERETO	p. 42
	PACHU	p. 42

DIAMA	p. 43
TOR3	p. 43
MLB	p. 44
IDRA	p. 44
REX	p. 45
MEDELANA	p. 45
VERTICE	p. 46
VERTICE 6R	p. 47
PRESTIGIO SS	p. 47
VALLELUNGA	p. 48
ZULAG	p. 48
BORGIA	p. 49
ITACA	p. 49
CELLINI ST	p. 50
RATIO	p. 50

ILLUMINATED LOGO

ILLUMINATED LOGO OPTIONS	p. 51
--------------------------	-------

FULL STAINLESS STEERING WHEELS

New	ORIONE	p. 52
-----	--------	-------

SPORT PADDLES

PADDLE	p. 53
--------	-------

URETHANE STEERING WHEELS

Q-BLUE	p. 54
ORLANDO	p. 55
KYRA	p. 56
CHP	p. 57
CESCA	p. 58
VTR14	p. 58
FIUME	p. 59
ARGO	p. 60
RUNZI	p. 60
SKEMA	p. 61
SKEMA 2	p. 61
GRABRAILS	pp. 62 - 63



ISM 08

- New -



ISM 08

The new model in the ISM line, dedicated to steering wheels with integrated controls. The design is robust and well-proportioned, with double anodized aluminum spokes that provide visual solidity and depth. The leather grip, hand-finished with cross stitching, ensures ergonomics and comfort. The central section integrates an ergonomic keypad with a patented system that prevents rotation during steering. The central element is available with either a leather logo or an illuminated version, offering a high level of customization. Keypad button functions are 100% customizable.



- DIAMETER: ø 350 mm – 13.80"
- GRIP: Genuine Leather.
- SPOKES: Aluminium, anodized.
- CENTRAL FLANGES: Keypad customizable function

Handmade cross stitching

ISOTTA TILT HELM REQUIRED FOT FITTING

• Ref. Code: ISM08

ISM 07

- New -



Brand new design with a complete new keypad style and CNC anodized metal spokes design.
Metal spokes could be anodized in silver, black or titanium look.
Keypad button functions are 100% customizable.

Illuminated logo option available

PATENTED NON ROTATING SYSTEM TO KEEP KEYPAD ALWAYS IN THE STRAIGHT POSITION



DIAMETER: ø 350 mm - 13.80"
GRIP: Genuine Leather.
SPOKES: Aluminium, anodized
CENTRAL FLANGES: Aluminium, anodized
INNER RING: Aluminium, anodized

ISOTTA TILT HELM REQUIRED FOR FITTING

• Ref. Code: ISM 07 BLACK ST

Handmade cross stitching

ISM 05 ALL-IN-ONE



The new ISOTTA All-in-One steering wheel system includes ISM system and Sport Paddles.

The keypad take advantage of the ISOTTA patented technology preventing keyboard from turning together with the steering wheel. Buttons always maintain the position and never turn with steering wheel. (patented technology: PCT/IB2015/052111).

The functions which can be controlled directly from the buttons are limitless: every command of the boats can "migrate" to the keypads.

The system is designed to connect to any CAN/BUS network and integrate any CAN device.

The solid wire connection ensures the arrival of extremely secure and reliable electrical signals from the steering wheel itself, making it possible to control sensitive functions motor speed and cruise control.

Also, keyboard is directly connected to the battery of the boat and therefore it will never run out of charge, unlike wireless keyboards requiring battery.

Side controls levers are projected to allow precise and rapid control of engine trim, jackplate, trim tabs.

Electronic microswitches IP67 activable by simply pulling Paddles, with an immediate response of all components and a perfect feedback.

Ergonomic-design to ensure comfortable feeling without taking your hands off the wheel

External PCB for smart processing of commands

No reason to take your hands off the steering wheel while boating: with the new ISOTTA All-in-One steering wheel system, all essential functions are right at the driver's



The first steering wheel with direct control of Simrad devices, now available to control up to 8 display together.

Thanks to the Isotta/Simrad partnership, steering wheel is equipped with Simrad functions control buttons .

OEM can choose which Simrad functions to control from steering wheel.

Also available with Stereo functions for selected stereo brands.

ISOTTA patented system allows keypad to always maintain the straight position while driving (center pad does not turn with steering wheel)

This is a full NMEA 2000® certificated product



ISOTTA introduces the first steering wheel to control multifunctional Garmin display through dedicated control buttons.

Thanks to the new partnership between Isotta and Garmin, the driver is now able to control every display directly from the steering wheel without taking the hands off it, exactly as it happens in the automotive industry.

The communication between the steering wheel and the display is based on a NMEA 2000 standard, to ensure the industry highest and most reliable connection.

ISM 02



ISM 05



ISM 04



ISM 01



HEATED STEERING WHEEL

- New -



Steering wheel heating makes driving more comfortable during colder weather. This feature heats your steering wheel to a pleasant temperature in no time, allowing you to drive in comfort. Once the heated steering wheel has been turned on, it will operate until the desired temperature is reached and will maintain stable temperature by optimizing the required current and reducing consumption

- Available in leather wrapped grip or full urethane grip.
- Two heating temperature levels: low heating temp – high heating temp.
- NTC sensor to control real grip temperature
- Internal Control Module CPU
- Automatic cut/off switch to prevent overheating
- Two models of L.E.D. switch button available:
 - Premium button On/On/Off switch to activate/deactivate heated function and to choose between different levels of heating temperature.
 - Standard button On/Off switch to activate/deactivate heated function.*
- Switch button can be positioned everywhere in the dashboard
- Easy connection to every marine MFD.
- Solid clockspring (max 7 turns from lock to lock) suitable for all marine tilt helm, to bring stable current to steering wheel.
- East to install (also for aftermarket application)
- Not suitable for steer-by-wire system with unlimited helm rotation

*OEM will set the heating level (high heating level or low heating level) through wiring connection. Final customer will be able to modify this choice by changing wiring position.

System functional characteristics

Description	Min.	Nom.	Max.	Unit
Vbatt Operating voltage range	9.0	13.5	16.0	V
Operating temperature range	-40	25	+85	°C
Maximum Vbatt current draw			8.0	A
Current draw without HEATER active. (Steady state of temperature control in HIGH/LOW mode)	5	8	10	mA
Target temperature heating level "HIGH" (*)		46		°C
Target temperature heating level "LOW" (*)		42		°C
HIGH/LOW input Operating voltage range	9.0	13.5	16.0	V
HIGH input current absorption		200		mA
LOW input current absorption		400		mA
Fuse breaking capacity (10A suggested value, the fuse can be replaced)	10			A

(*) = factory default setting

ZEFIRO ALL *with black aluminum center flange*

- New -



DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather.
SPOKES: 316 stainless steel polished
CENTRAL FLANGE: Black Aluminium
INNER RING: Polished Aluminium

Handmade cross stitching

• Ref. Code: 1155_5

ZEFIRO SS *with stainless steel center flange*

- New -



DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather.
SPOKES: 316 stainless steel polished
CENTRAL FLANGES: 316 stainless steel polished

Handmade cross stitching
ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1156_5

The ZEFIRO series emphasizes a robust and solid appearance, while maintaining well-proportioned lines. The steel spokes feature a central recess that enriches the profile and adds depth to the design. Particular attention is given to the spoke ends, which connect to the grip with a distinctive and unique shape. The leather grip, with hand-crafted cross stitching, ensures comfort, ergonomics, and high-quality finishing.

- New -



LYRA

Design with clean and essential lines, featuring three equidistant stainless steel spokes precisely connected to the central flange, which extend into the grip with a particularly distinctive shape, creating a balanced and well-proportioned structure. The overall appearance is solid and robust, with a sober yet elegant character. The leather-covered grip, hand-finished with cross stitching, ensures comfort, ergonomics, and an artisanal detail that enhances the product's long-term value.

DIAMETER: $\varnothing$ 350 mm - 13.80"
GRIP: Genuine Leather.
SPOKES: 316 Stainless steel polished.
CENTRAL FLANGES: 316 Stainless steel polished

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1157_5

Handmade cross stitching



Introducing our latest marine innovation: a premium boat steering wheel designed for both performance and style. Crafted with solid aluminum spokes that are precision-machined, anodized, and featuring a robust 10mm thickness, this steering wheel offers a sleek and modern aesthetic. The design is further enhanced by a prominent central flange with a large diameter, giving the wheel even more personality and a striking visual presence. One of its standout features is the unique grip profile, ergonomically shaped to provide maximum comfort and control. Additionally, the grip incorporates elegant aluminum rings, adding both visual appeal and refined design. This combination of craftsmanship and attention to detail makes our steering wheel the perfect upgrade for any vessel.



ONDA

- New -



DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather.
SPOKES: Aluminium, anodized
CENTRAL FLANGE: Aluminium, anodized
INNER RING: Aluminium, anodized
GRIP RING: Aluminium, anodized
Handmade cross stitching

• Ref. Code: 1152_5_ST

RIV 8

- New -



Model with double spokes in anodized aluminum, available in two finishes (titanium/grey and silver, with possibility to customize when required). The dual-spoke design emphasizes a solid and distinctive aesthetic. The central spoke has a thickness of 20 mm (0.80"), while the lateral ones measure 10 mm (0.40"), creating depth and a layered effect. The leather grip, with a substantial cross-section, enhances both comfort and the perception of robustness.



DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather
SPOKES: Aluminium double color
CENTRAL FLANGE: Black Aluminium
INNER RING: Polished Aluminium
Handmade cross stitching

• Ref. Code: 1158_5



NEXA



- New -

DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather
SPOKES: Aluminium, anodized
CENTRAL FLANGE: Aluminium, anodized
CENTER CAP: Aluminium, anodized

Handmade cross stitching

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1153_5_ST

KRATOS

Sporty design with distinctive "T"-shaped spokes arranged in a non-equidistant layout. The spokes and flange are made of anodized aluminum, ensuring lightness and mat finishing.
The leather grip provides superior comfort and ergonomic handling, completing a model that combines structural solidity with a dynamic character.



- New -

DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather
SPOKES: Aluminium
CENTRAL FLANGE: Black Aluminium
INNER RING: Polished Aluminium

Handmade cross stitching

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1154_5

QUARK



DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather
SPOKES: Aluminium
CENTRAL FLANGES: Leather or PU
INNER RING: Stainless steel

Handmade cross stitching

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1140_5_N_ST



RIV-7



New ISOTTA steering wheel, full aluminium CNC spokes 10mm thickness.
Equal spokes design enter into the leather grip to create a great mix of materials, with additional central "button-hole" to light the shape.
Round central flange with a more squared and attractive design.
Metal aluminium ring surrounding leather center cap

DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather
SPOKES: Aluminium, anodized
CENTRAL FLANGES: Aluminium, anodized
INNER RING: Aluminium, anodized

Handmade cross stitching

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1143_5



FRASCO



- DIAMETER: ø 350 mm – 13.80"
- GRIP: Genuine or vinyl Leather
- SPOKES: Stainless steel 316 mirror polished
- CENTRAL FLANGES: Aluminium black anodized
- INNER RING: Aluminium polished
- CENTER CAP: Leather
- OPTIONS: Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1135_5

UNICA



- DIAMETER: ø 350 mm – 13.80"
- GRIP: Genuine or vinyl Leather
- SPOKES: Stainless steel 316
- CENTRAL FLANGES: Stainless steel 316
- CENTER CAP: Leather
- OPTIONS: Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1136_5



DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine Leather
SPOKES: Aluminium
CENTRAL FLANGES: Leather or PU
INNER RING: Stainless steel
CENTER CAP: Leather
OPTIONS: Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1132_5



DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine or vinyl Leather
SPOKES: Aluminium
CENTRAL FLANGES: Aluminium
CENTER CAP: Leather
OPTIONS: Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1120_5

ADMETO



DIAMETER: ø 350 mm – 13.80"
GRIP: Leather
SPOKES: Polished with black inserts
CENTRAL FLANGE: Black anodized aluminium
INNER RING: Polished aluminium
CENTER CAP: Leather
OPTIONS: Center cap with custom logo

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1128_5



FANETE



Silver spokes

DIAMETER: ø 350 mm – 13.80"
GRIP: Leather
SPOKES: Billet aluminium (available black – silver - titanium anodized)
CENTRAL FLANGE: Aluminium (available black or silver anodized)
CENTER CAP: Leather
OPTIONS: Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1123_5



Black spokes



Titanium spokes

MESOLA

- DIAMETER: ø 350mm - 13.80"
- GRIP: Leather
- GRIP RING: Stainless steel 316 polished.
- SPOKES: Equal double-spokes in stainless steel 316 polished
- CENTRAL FLANGE: Leather
- INNER RING: Stainless steel 316 polished
- CENTER CAP: Leather
- OPTIONS: Central cap with custom logo embossed

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

- Ref. Code: 179_5



DAPONTE



- DIAMETER: ø 355mm – 14"
- GRIP: Leather
- SPOKES: Equal spokes in stainless steel 316 polished
Back side in leather
- CENTRAL FLANGES: Stainless steel 316 polished
- CENTER CAP: Leather
- OPTIONS: Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 1105_5

CARLOTTA



- DIAMETER: ø 350 mm – 13.80"
- GRIP: Leather
- SPOKES: Equal double-spokes in stainless steel SS316
- CENTRAL FLANGE: Stainless steel SS316 polished
- CENTRAL CAP: Leather
- OPTIONS: Central cap with custom logo embossed
Central flange in leather

INTEGRATED HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

• Ref. Code: 140_5_ST

CARLOTTA SATIN



- DIAMETER: ø 350 mm – 13.80"
- GRIP: Leather
- SPOKES: Stainless steel 316 satin/mat finishing
- CENTRAL FLANGE: Stainless steel 316 satin/mat finishing
- CENTRAL CAP: Leather
- OPTIONS: Central cap with custom logo embossed

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1107_5

TIVOLI ST



DIAMETER: ø 350 mm – 13.80"
GRIP: Leather. Elliptic section
SPOKES: Equal spokes in stainless steel 316 polished
CENTRAL FLANGE: Stainless steel 316 polished
CENTRAL CAP: Leather
OPTIONS: Center cap with custom logo embossed

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 196_5

BERRA SP



DIAMETER: ø 350mm - 13.80"
GRIP: Leather
SPOKES: Equal spokes in stainless steel
 SS316 polished
CENTRAL FLANGE: Aluminium, silver anodized
CENTER CAP: Brushed aluminium or leather
OPTIONS: Center cap with custom
 logo embossed.

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 189_5_SP

BERRA FL



DIAMETER: ø 350mm - 13.80"
GRIP: Genuine or vinyl Leather
SPOKES: Stainless steel SS316 polished
CENTRAL FLANGE: Stainless steel SS316 polished
CENTER CAP: Leather
OPTIONS: Center cap with custom logo
 embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 189_5_FL



POLARIS

DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather
SPOKES:	Stainless steel 316 polished
CENTRAL FLANGES:	Stainless steel 316 polished
CENTER CAP:	Leather
OPTIONS:	Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 1117_5



ARES

DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather
SPOKES:	Stainless steel 316 polished
CENTRAL FLANGES:	Black anodized aluminium with inner silver ring
CENTER CAP:	Leather OR stainless steel 316 polished
OPTIONS:	Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 1118_5



TORINDI

DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather
SPOKES:	Stainless steel 316 polished
CENTRAL FLANGES:	Black anodized aluminium with inner silver ring
CENTER CAP:	Leather or stainless steel 316 polished
OPTIONS:	Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 1121_5



GRAFFIO

DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather
SPOKES:	Anodized silver aluminium
CENTRAL FLANGES:	Anodized silver aluminium
CENTER CAP:	Leather
OPTIONS:	Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 1120_5

PACHU



DIAMETER: ø 350mm - 13.80"
GRIP: Leather
SPOKES: Equal spokes in stainless steel 316 polished

CENTRAL FLANGES: Stainless steel 316 polished
CENTER CAP: Leather
OPTIONS: Center cap with custom logo embossed

INTEGRATED HUB ADAPTER

• Ref. Code: 1106_5

ROVERETO



DIAMETER: ø 360 mm – 14.20"
GRIP: Leather
SPOKES: Double equal spokes in Stainless steel 316 polished

CENTRAL FLANGES: Aluminium, powder coated
INNER RING: Stainless steel polished
CENTER CAP: Leather
OPTIONS: Center cap with custom logo embossed

HUB ADAPTOR REQUIRED FOR FITTING

• Ref. Code: 178_6

DIAMA



DIAMETER: ø 350 mm – 13.80"
GRIP: Leather
SPOKES: Equal spokes in Stainless steel 316 polished
CENTRAL FLANGES: Stainless steel 316 polished (or leather)
CENTER CAP: Leather
OPTIONS: Center cap with custom logo embossed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 188_5 mod. DIAMA

TOR 3

Very sporty and solid spokes looking.
Design of black central flange is also very squared to accentuate its robust shape.
The silver flat ring has six visible screws for a “rough” effect, and the center leather pad is slightly raised compared to the ring.

DIAMETER: ø 350 mm – 13.80"
GRIP: Genuine or vinyl Leather
SPOKES: Stainless steel 316 polished
CENTRAL FLANGES: Black anodized with silver ring
CENTER CAP: Leather

Handmade cross stitching

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1141 5 N ST



IDRA

DIAMETER: ø 350mm - 13.80"
 GRIP: Leather
 SPOKES: Single poke in stainless steel 316 polished. Back side in leather
 CENTRAL FLANGE: Painted or leather
 INNER RING: Stainless steel 316 polished
 CENTER CAP: Leather
 OPTIONS: Central cap with custom logo embossed

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

• Ref. Code: 186_5

REX

DIAMETER: ø 350mm - 13.80"
 GRIP: Leather
 SPOKES: Double equal spokes in stainless steel 316 polished
 CENTRAL FLANGE: Aluminium, black anodized
 INNER RING: Aluminium, silver anodized
 CENTER CAP: Leather
 OPTIONS: Center cap with custom logo embossed

INTEGRATED HUB ADAPTER

• Ref. Code: 199_5



MLB

DIAMETER: ø 350mm - 13.80"
 GRIP: Leather
 SPOKES: Titanium or silver aluminium with leather on the bottom
 STUD: Special stud in stainless steel 316 polished
 CENTRAL FLANGES: Black anodized aluminium
 CENTER CAP: Aluminium embossed
 OPTIONS: Center cap with custom logo

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1109_5



MEDELANA

DIAMETER: ø 360mm - 14.18"
 GRIP: Leather
 SPOKES: Equal spokes in stainless steel 316 polished
 CENTRAL FLANGE: Powder coated or leather
 INNER RING: Stainless steel 316 polished
 CENTER CAP: Leather
 OPTIONS: Center cap with custom logo embossed. Central flange in leather

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

• Ref. Code: 177_6



VERTICE Wood



DIAMETER: ø 350mm - 13.80"
GRIP: Wood
SPOKES: 3 equal spokes in anodized aluminium

CENTRAL FLANGE: Anodized aluminium
CENTER CAP: Leather
OPTIONS: Central cap with custom logo embossed. Spokes in chrome plate

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

• Ref. Code: 143_5_RW

VERTICE 6R



DIAMETER: ø 350mm - 13.80"
GRIP: Leather with 6 chromed rings
SPOKES: 3 equal spokes in anodized aluminium

CENTRAL FLANGE: Anodized aluminium
CENTER CAP: Leather
OPTIONS: Central cap with custom logo embossed

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

• Ref. Code: 143_5_6R

VERTICE Leather



DIAMETER: ø 350mm - 13.80"
GRIP: Leather
SPOKES: 3 equal spokes in anodized aluminium

CENTRAL FLANGE: Anodized aluminium
CENTER CAP: Leather
OPTIONS: Central cap with custom logo embossed

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

• Ref. Code: 143_5

PRESTIGIO SS



DIAMETER: ø 350mm - 13.80"
GRIP: Leather
VERTICAL SPOKES: Stainless steel 316 polished
HORIZONTAL SPOKES: Satin and anodized aluminium

INNER RING: stainless steel 316 polished
CENTER CAP: Leather
OPTIONS: Central cap with custom logo embossed

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

• Ref. Code: 155_5_SS

VALLELUNGA



- DIAMETER: ø 345mm - 13.58" - Flat bottom shape
- GRIP: Leather
- SPOKES: Anodized aluminium
 Vertical sticks in stainless steel 316 polished
- CENTRAL FLANGE: Anodized aluminium, smokey grey finishing
- CENTRAL RING: Polished aluminium
- OPTIONS: Central cap with custom serigraphy logo

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

- Ref. Code: 126_4

ZULAG



- DIAMETER: ø 345mm - 13.58"
- GRIP: Leather.
- SPOKES: Satin and anodized aluminium.
 Inner portion in SS316 polished.
- CENTRAL FLANGE: Anodized aluminium.
- INNER RING: Stainless steel 316 polished.
- CENTRAL CAP: Aluminium disk.
- OPTIONS: Central cap with custom serigraphy logo.

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

- Ref. Code: 134_4

BORGIA



- DIAMETER: ø 360mm - 14.18"
- GRIP: Leather
- SPOKES: Parallel spokes in stainless steel 316 polished. Back side in leather
- CENTRAL FLANGE: Stainless steel 316 polished
- CENTRAL CAP: Leather
- OPTIONS: Central cap with custom logo embossed

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

- Ref. Code: 181_6

ITACA



- DIAMETER: ø 410mm - 16.14"
- GRIP: Leather.
- SPOKES: 5 pair brushed and anodized spokes.
- CENTRAL FLANGE: Brushed and anodized aluminium.
- CENTRAL CAP: Leather.
- OPTIONS: Central cap with custom logo embossed.

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

- Ref. Code: 175_40

CELLINI ST

- DIAMETER: ø 350mm - 13.80"
- GRIP: Leather
- SPOKES: 4 spokes at 90° in stainless steel 316 polished. Back side in leather
- CENTRAL FLANGE: Leather
- INNER RING: Stainless steel 316 polished
- CENTER CAP: Leather
- OPTIONS: Central cap with custom logo embossed

ISOTTA HUB ADAPTER 3/4" TAPER REQUIRED FOR FITTING

• Ref. Code: 147_5



RATIO

- DIAMETER: ø 350mm - 13.80"
- GRIP: Leather
- SPOKES: Double equal spokes in stainless steel 316 polished
- CENTRAL FLANGE: Aluminium, black anodized
- INNER RING: Aluminium, silver anodized
- CENTER CAP: Leather
- OPTIONS: Central cap with custom logo embossed.

INTEGRATED HUB ADAPTER

• Ref. Code: 1100_5



ILLUMINATED LOGO OPTION

The last ISOTTA innovation brings electricity to the center of the steering wheel **to illuminate boatbuilder logo**.

Backlight LED can be connected to the on/off key of the boat, to let logo illuminating when boat starts.

Colour of backlight may be customized.

Illuminated logo requires to use the new patented Isotta tilt helm, able to let steering wheel turning while the center pad still keeping the straight position.



ORIONE



- New -

DIAMETER: ø 350 mm – 13.80"
GRIP: Full stainless steel 316L
GRIP BACKSIDE: Non-slip urethane
SPOKESE: Full stainless steel 316L

• Ref. Code: 1149_5_SS

Introducing our groundbreaking steel steering wheel, a bold departure from traditional all-steel designs. Crafted entirely from 316 stainless steel, it features a cutting-edge aesthetic that sets it apart from conventional models. The sleek, contemporary structure embodies both strength and modernity, making it an eye-catching addition to any vessel. What truly distinguishes this wheel is the meticulous attention to ergonomics and detail, delivering a refined and innovative feel. For enhanced practicality, the back of the grip is made from a non-slip material, ensuring secure handling even in demanding conditions



SPORT PADDLE



- Projected to allow precise and rapid control of engine trim, jackplate, trim tabs and other components
- Electronic microswitches IP67 activable by simply pulling paddles, with immediate response of all components and perfect feedback.
- External Control Unit for an intelligent data processing
- Usable in replacing of the original switch controller or together with it
- Ergonomic-design to ensure comfortable feeling without taking your hands off the wheel
- Central fitting body with a limited overall dimensions for a better look design and perfect integration with steering wheel
- Adjustable two-side arms positioned along the helm to cover and protect all wires between paddles and dashboard
- Suitable for most steering helm and pump thanks to the universal fitting system.
- Nominal switching capability 20 Amp @ 14VDC resistive load
- Custom boatbuilder logo and icons available on each paddle

SUITABLE ON ALMOST EVERY ISOTTA STEERING WHEEL

Q-BLUE



DIAMETER: ø 350 mm – 13.80"
GRIP: Poliurethane, leather look effect
SPOKES: Aluminium, powder coated

Different painting colour available

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1145_5



ORLANDO




DIAMETER: ø 350 mm – 13.80"
GRIP: Poliurethane, leather look effect
SPOKES: Urethane with chromed inserts
CENTRAL FLANGES: Chromed

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1147_5

KYRA



DIAMETER: ø 350mm - 13.80"
GRIP: Leather look urethane with effect
 with perforated effect
SPOKES: Aluminium, anodized
CENTRAL FLANGE: Chromed

Available with different anodized aluminium colours: black, grey/titanium or silver

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1146_5

CHP



DIAMETER: ø 350 mm – 13.80"
GRIP: Leather look urethane with stainless rings
SPOKES: Aluminium, anodized
CENTRAL FLANGES: Urethane with metal ring

Available with different anodized aluminium colours: black, grey/titanium or silver

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1131_5



CESCA

- DIAMETER: ø 350mm - 13.80"
- GRIP: Poliurethan leather look or leather (model CESCA INS with 3 ABS inserts various colors)
- SPOKES: 3 equal spokes in stainless steel 316 polished
- CENTRAL CAP: Leather
- OPTIONS: Center cap with custom logo embossed

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 184_5 mod. CESCA
187_5 mod. CESCA INS



FIUME INS

- DIAMETER: ø 350mm - 13.80"
- GRIP: Poliurethan, leather look. (Option: 3 insert with selected colors or finishing)
- SPOKES: Anodized aluminium
- CENTRAL FLANGE: Brushed/anodized aluminium
- CENTRAL CAP: Leather
- OPTIONS: Center cap with custom logo embossed

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 185_5_INS
185_5



VTR14

- DIAMETER: ø 350mm - 13.80"
- GRIP: Poliurethan leather look
- SPOKES: Satin silver aluminium
- CENTRAL FLANGE: Aluminium powder costed
- CENTRAL CAP: Silver brushed aluminium
- OPTIONS: Center cap with custom logo

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 1113_5PUN



FIUME



ARGO

- DIAMETER: ø 350mm - 13.80"
- GRIP: Poliurethan, leather look
- SPOKES: Double equal spokes in satin silver aluminium
- CENTRAL FLANGE: Aluminium, black anodized
- CENTRAL CAP: Aluminium disk
- OPTIONS: Center cap with custom serigraphy logo

INTEGRATED HUB ADAPTER

- Ref. Code: 197_5



RUNZI

- DIAMETER: ø 350mm - 13.80"
- GRIP: Poliurethan, leather look.
- SPOKES: 5 equal spokes in satin silver aluminium
- CENTRAL FLANGE: Aluminium, black anodized
- CENTRAL CAP: Aluminium disk
- OPTIONS: Center cap with custom serigraphy logo

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 194_5



SKEMA

- DIAMETER: ø 350mm - 13.80"
- GRIP: Poliurethan, leather look
- SPOKES: Brushed/anodized silver aluminium
- CENTRAL RING: Anodized silver aluminium
- CENTRAL CAP: Leather or aluminium disk
- OPTIONS: Center cap with custom logo embossed

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING


- Ref. Code: 191_5 mod. SKEMA
- 191_5_2 mod. SKEMA 2



SKEMA 2




GRABRAIL HR03



POLISHED STAINLESS TERMINALS.
COMFORTABLE HANDLE GRIP IN GENUINE LEATHER (DIFFERENT COLOURS AVAILABLE)
HANDMADE SEWING
EMBOSSED LOGO AVAILABLE
OVERALL LENGTH 500MM (DIFFERENT SIZE AVAILABLE)

• Ref. Code: HR03





ISOTTA

IFRA SRL

tel. +39 0532 1883899 • info@isotta.it • www.isotta.com