SCOPREGA

look beyond

2026-2027

PRODUCT LIST



00. Introduction

- Company info *03*
- Product list info *04*

01. Product List *05*

- Products & details *05-63*

02. Out of Catalogue - On demand *64*

- Products & details *65-75*

03. Custom request *76*

- Expertise and Support *77*

Stay connected *78*

SCOPREGA

We design, manufacture, and distribute **electric, hand,** and **foot pumps, oars, paddles, valves,** and **accessories** worldwide.
Quality, efficiency, and refined design: since 1979.

SCOPREGA look beyond · AEDRA · BRAVO by SCOPREGA

Mission

We design and market premium, eco-friendly marine and outdoor inflators worldwide with a customer-first focus.

Vision

Guided by our motto, 'Look Beyond,' we advance product innovation to shape a sustainable industrial future.

All products to inflate...

Marine



- *SUP*
- *KITE/KAYAK*
- *BOATS*

Ground



- *TENTS*
- *BARRIERS*
- *PLATFORMS*

Yachting



- *PLATFORMS*
- *FENDERS*
- *TOYS*

Custom Solution



We don't just solve today's challenges, we want to shape tomorrow's success.
As your strategic partner, we deliver continuous R&D, advanced technology, and expert training to power your evolution.

look beyond

2026-2027

Welcome to the **2026-2027 Scoprega product list**, a complete overview of high-performance solutions tailored to today's market.

Built as an intuitive and practical tool, this document gives you **quick access to clear technical specifications and product details** to streamline your purchasing process.

Should you require customized advice or support, **our sales team is ready to help you find the ideal solutions** for your business.

We trust this new tool will **strengthen our partnership** and drive mutual growth in the coming year.

Scoprega S.r.l.

ISO 9001:2015

Fully compliant with global quality, traceability, and reliability protocols.

GPSR

EU Regulation 2023/988 compliance for maximum safety and complete peace of mind.

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

02. Product List

Products & details *05-63*

Please find below the complete overview of our full product line-up valid for the 2026-2027 season.



ELECTRIC INFLATOR

Item	Part number	Voltage	Max. pressure	Max. flow rate	Application
GE 20-2 	K6130702	110/230 Vac	1,5 bar (22 psi)	125 l/m	SUP KITE/KAYAK BOATS FENDERS TOYS
GE BP-1 	K6131320	12 Vdc	1,25 bar (18,1 psi)	160 l/min	
GE BTP-2 	GE3S0004	12 Vdc	1,25 bar (18,1 psi)	400 - 160 l/m	
GE 22 - 12V 	GE3S0003	12 Vdc	1,25 bar (18,1 psi)	500 - 175 l/m	
GE 22-EL 	GE3S0000	110/230 Vac lead-acid battery			
GE 22-1 	GE3S0019	110/230 Vac lithium battery			
GE 26 	GE3S0026	230 Vac	1,5 bar (22 psi)	1000-250 l/m	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ELECTRIC INFLATOR

Item	Part number	Voltage	Max. pressure	Max. flow rate	Application
TURBO MAX 12 Vdc 	GE4S0008	9 ÷16 Vdc	250 mbar (3.6 psi)	1000 l/min	*BOATS* *FENDERS*
TURBO MAX 24 Vdc 	GE4S0010	18 ÷32 Vdc			
TURBO MAX KIT 12 Vdc 	GE4S0009	9 ÷16 Vdc			
TURBO MAX KIT 24 Vdc 	GE4S0011	18 ÷32 Vdc			
TURBO MAX BOX 	K6130024	Allows the TURBO MAX KIT to be mounted flush with the dashboard and protects the inflator from splashes and dirt (Nylon and PE) - Dimensions: 34.5 x 22 x 1.8 cm			
SP 214 	R151025	Adapters + PU hose - Dimensions: 2.8 m x Ø 25 mm			
TURBO MAX KIT CONNECTOR 	R401159	Connector (10 x 3 x 3 cm) male/female for devices with power up to 100 A 12 VDC. The kit allows wiring of cables from 5 to 10 mm²			

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

INFINITE

Designed for SUPs, dinghies, and kites, this compact all-in-one pump combines ultra-quiet operation with intuitive controls for quick, effortless setup every time.



- Built-in **electric inflator**
- Up to **1250 mbar (18.1 PSI)**
- **500 l/m** max air flow
- **Automated** pressure control
- **AD2S0006 - 12 Vdc**
  AD2S0007 - 24 Vdc

MAXXIVE

Built for marine environments, this sleek, compact inflator delivers peak performance and ultra-quiet precision, with intuitive touchscreen interface.



- Built-in **electric inflator**
- Up to **250 mbar (3.6 PSI)**
- **700 l/m** max air flow
- **Automated** pressure control
- **AD2S0001 - 12 Vdc**
  AD2S0005 - 24 Vdc

MAXI RIB

FENDER

PLATFORM

CUSTOM

AEDRA

ISO 9001:2015

Fully compliant with global quality, traceability, and reliability protocols.

GPSR

EU Regulation 2023/988 compliance for maximum safety and complete peace of mind.

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ELECTRIC INFLATOR

Item	Part number	Voltage	Max. pressure	Max. flow rate	Application
GE 1800 ROMA 	K6131900	230 Vac - 50 Hz	360 mbar (5.2 psi)	2700 l/m	*BOATS* *TENTS* *BARRIERS* *PLATFORMS* *FENDERS* *TOYS*
GE 1800 EL 	GE7S000	230 Vac - 50 Hz	360 mbar (5.2 psi)	2700 l/m	
	GE7S002	120 Vac - 60 Hz	600 mbar (8.7 psi)	2700 l/m	
GE 1800 EVO IC (INTERNAL CONTROL) 	GE7S017	230 Vac - 50 Hz	250 - 600 mbar (8.7 psi)	2000 l/m	
	GE7S018	120 Vac - 60 Hz			
GE 1800 EVO EC (ESTERNAL CONTROL) 	GE7S006	230 Vac - 50 Hz	600 mbar (8.7 psi)	2000 l/m	
	GE7S012	120 Vac - 60 Hz			

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ELECTRIC INFLATOR

Item	Part number	Voltage	Max. pressure	Max. flow rate	Application
GE 3600 EVO 	GE8S0003	230 Vac - 50 Hz	600 mbar (8.7 psi)	4000 l/m	*BOATS* *TENTS* *BARRIERS* *PLATFORMS* *FENDERS* *TOYS*
GE 900 	K6131600	230 Vac - 50 Hz	170 mbar (2.5psi)	1700 l/m	
	K6131650	120 Vac - 60 Hz			
GE 900 A.R.S. 	K6131630	230 Vac - 50 Hz			
GE 900 AA+ 	K6131610	230 Vac - 50 Hz	250 mbar (3,6 psi)		
	GE4S0004	120 Vac - 60 Hz			
GE 900 AA+/40 	GE4S0005	230 Vac - 50 Hz			

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ELECTRIC INFLATOR

Item	Part number	Voltage	Max. pressure	Max. flow rate	Application
GE OV 4 	K6130415	230 Vac - 50 Hz	150 mbar (2.2 psi)	950 l/m	*BOATS* *TENTS* *BARRIERS* *PLATFORMS* *FENDERS* *TOYS*
 GE 230/2000	K6131000	230 Vac - 50 Hz	350 mbar (5.0 psi)	2000 l/m	
	K6131040	120 Vac - 60 Hz			

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ELECTRIC INFLATOR - ACCESSORIES

Item	Part number	Application
SP Z031 	R211002	Inflation hose 25 m /ø 25 mm - PU
SP 216 	R151032	Orange bayonet connector for BRAVO TURBO MAX
SP 217 	R151052	With connection for Boston Valve - Dimensions: 1.5 m x Ø 25 mm - Material: PU
SP 215 	R151030	With fitting for VA 2005 - Dimensions: 1.5 m x Ø 25 mm - Material: PU
EPDM hose 	RH0S0030	With connection for 260 H.V. - Dimensions: 1.5 m x Ø 40 mm - Material: EPDM
SP Z032 - EPDM 	R211003	Ø 40 mm x 15 m high-performance hose
HT 10/20 Bar 	8B0S0020	H.T. compressed air hose 10/20 Bar (300 psi) - for valve 260 H.V.

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ELECTRIC INFLATOR - ACCESSORIES

Item	Part number	Application
4-WAY 	WL0S0103	Manifold system with four Ø40mm output to be attached to the inflator
TEE MANIFOLD 	8B0S0014	TEE Manifold with manual ball valve 1,5 inch (To be attached to the H.T. hoses)
SP Z134 	R151134	Pipe-pump Y-connector with Ø25mm hose barb (R210033) and Ø40mm hose barb (R210032)
VALVE FITTING 	RH0S0059	Ø40 - Ø25mm hose to valve adapter with adjustable
VALVE FITTING 	RH0S0060	Ø40 - Ø25mm hose to valve adapter with 718/2005 fitting
VALVE FITTING 	Upon request	Ø40 - Ø25mm hose to valve adapter for Leafield valves

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ELECTRIC INFLATOR - ACCESSORIES

Item	Part number	Application
SP Z034 	R211005	Pressure control tube PU Ø6 mm x 15 m.
SP 156 	R151023N	**FOR HR-TYPE VALVES** 6 mm fitting for connecting the pressure control tube to the valve of the structure to be inflated.
SP 157 	R151024N	**FOR 2005 BRAVO TYPE VALVES.** 6 mm fitting for connecting the pressure control tube to the valve of the structure to be inflated.
SP Z027 	R210035	Ø40 mm hose-valve fitting for BRAVO VALVE 260 H.V.
SP Z025 	R210033	Fittings to match Ø25mm hoses
SP Z024 	R210032	Fittings to match Ø25mm hoses

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

HAND PUMP

Item	Part number	Capacity	Max. pressure	Application
GM NX 	K6121100	2,0 bar (29 psi)	2 x 2000cc	SUP, KITE/KAYAK, BOATS, TENTS, BARRIERS, PLATFORMS, FENDERS, TOYS
GM NXS 	K6121150	2,0 bar (29 psi)	2 x 1500cc	
SUPER F 	GM1N0000	2,0 bar (29 psi)	2 x 2000cc	
GM 5 	6122204N	1,0 bar (14.5 psi)	2 x 2400cc	
GM 4 XS 	6120970N	2,0 bar (29 psi)	1 x 2900cc	MEDICAL

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

FOOT PUMP

Item	Part number	Capacity	Max. pressure	Application
BRAVO 1 	6070001	500 mbar (7.2 psi)	4 L	PLATFORMS TENTS BOATS FENDERS TOYS
GP 5 	K6080000	300 mbar (4.35 psi)	5 L	
GP 10 	6090010	800 mbar (11.6 psi)	5.5 L	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OARS & PADDLES

Item	Part number	Dimensions	Colour	Bouyancy
RSP 160 	K6501501	160/84 cm Ø 35 mm x 1 mm	nero / black	 Designed to float on water
RSP 180 	K6501600	180/84 cm Ø 35 mm x 1 mm	nero / black	
RSP 140 Z 	K6501470	140 cm Ø 35 mm x 1 mm	bianco / white	
RSP 140 Z 	K6501471	140 cm Ø 35 mm x 1 mm	nero / black	
RSP 150 Z 	K6501480	150 cm Ø 35 mm x 1 mm	nero / black	
RSP 160 Z 	K6501490	160 cm Ø 35 mm x 1 mm	nero / black	
RSP 160 Z 	K6501491	160 cm Ø 35 mm x 1 mm	bianco / white	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OARS & PADDLES

Item	Part number	Dimensions	Colour	Bouyancy
RSP 160 ZK 	K6501493	160 cm Ø 35 mm x 1 mm	bianco / white	 Designed to float on water
RSP 180 K 	K6501602	180 cm Ø 35 mm x 1 mm	nero / black	
RSP 160 	K6501500	160 cm Ø 35 mm x 1 mm	nero / black	
RSP 160 K 	K6501550	160 cm Ø 35 mm x 1 mm	nero / black	
RSP 160 ZK 	K6501492	160 cm Ø 35 mm x 1 mm	nero / black	
RSP 150 Z 	K6501481	150 cm Ø 35 mm x 1 mm	bianco / white	
RSP 180 K 	K6501603	180 cm Ø 35 mm x 1 mm	bianco / white	


Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OARS & PADDLES

Item	Part number	Dimensions	Colour	Bouyancy
1410/SC	6201421N	222 cm Ø 28 mm x 1 mm	bianco / white	 Designed to float on water
916/SC	6942050N	82 cm Ø 27 mm x 1 mm	bianco/arancione white/orange	
2010/SC	6201111N	140 cm Ø 28 mm x 1 mm	bianco / white	
TSP 110/155	6293101N	A + B + C = 158 cm A + B = 118 cm Ø 30/35 mm x 1 mm	grigio/grey	
TSP 50/120 	6293103N	A = 50cm B = 120 cm Ø 24/28 mm x 1 mm	nero/black	
N100 	6281100N	120 / 180 cm Ø 25/30 mm x 1 mm	grigio/grey	
IDS 16 	6282200N	105 / 180 cm Ø 25/30 mm x 1 mm	nero/black	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OARS & PADDLES

Item	Part number	Dimensions	Colour	Bouyancy
KC ADJ FIBERGLASS 	6510700N	210 / 240 cm Ø 29 mm x 1.2 mm	nero/black	 Designed to float on water
KC FIBERGLASS-2 	6510610N	225 cm Ø 29 mm x 1.2 mm	nero/black	
XT ALU-2	6511110N	225 cm Ø 29 mm x 1.2 mm	blu/blue	
XT ALU ADJ 	6511200N	210 / 240 cm Ø 29 mm x 1.2 mm	blu/blue	
XT ALU 	6511000N	215 cm Ø 29 mm x 1.2 mm	blu/blue	
KC FIBERGLASS-2 	6511620N	230 cm Ø 29 mm x 1.2 mm	nero/black	
KWB ADJ FIBERGLASS 	6511700N	210 / 240 cm Ø 29 mm x 1.2 mm	nero/black	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OARS & PADDLES

Item	Part number	Dimensions	Colour	Bouyancy
KWB ALU-2 	6512100N	220 cm Ø 29 mm x 1.2 mm	rosso/red	 Designed to float on water
KWB ALU-4 	6512230N	230 cm Ø 29 mm x 1.2 mm	rosso/red	
KWB ALU-2 	6512110N	230 cm Ø 29 mm x 1.2 mm	rosso/red	
KWB ALU 	6512000N	210 cm Ø 29 mm x 1.2 mm	rosso/red	
KWB ALU ADJ 	6512300N	210 / 240 cm Ø 29 mm x 1.2 mm	bianco / white	
AK-PRO	6271300	210 cm Ø 32 mm x 1.2 mm	bianco / white	
DPR 107	6519800N	210 cm Ø 29 mm x 1.2 mm	rosso/red	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OARS & PADDLES

Item	Part number	Dimensions	Colour	Bouyancy
DPR 107 KIT 	6520100N	A KAYAK = 220cm B CANOE = 150 cm Ø 30 mm x 1 mm	rosso/red	 Designed to float on water
DPR 107 C 	6520000N	220 cm Ø 30 mm x 1 mm	rosso/red	
RC PRO 	6525010N	150 cm Ø 29 mm x 1 mm	giallo / yellow	
KK PRO 	7C0S0000	140 cm Ø 35 mm x 1 mm	nero / black	
PR 105 	6525100N	140 cm Ø 30 mm x 1 mm	rosso/red	
PR 105 	6525110N	150 cm Ø 30 mm x 1 mm	rosso/red	
PR 105 	6525120N	160 cm Ø 30 mm x 1 mm	rosso/red	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OARS & PADDLES

Item	Part number	Dimensions	Colour	Bouyancy
PR 105 C 	6525200N	150 cm Ø 30 mm x 1 mm	rosso/red	 Designed to float on water
ALU ADJ 	6531010N	175 / 215 cm Ø 29 mm x 1 mm	nero / black	
FIBERGLASS ADJ 	6531020N	175 / 215 cm Ø 29 mm x 1 mm	nero / black	
SUP FIBERGLASS 	6531500N	170 / 215 cm Ø 29 mm x 1 mm	nero / black	
SUP ALU 	6531600N	170 / 215 cm Ø 29 mm x 1 mm	nero / black	
KIT FIBERGLASS 	6531700N	A = 170 / 215 cm B = 205 cm Ø 29 mm x 1.8 mm	nero / black	
KIT ALU 	6531800N	A = 170 / 215 cm B = 205 cm Ø 29 mm x 1.4 mm	nero / black	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

INFLATION VALVES

Item	Part number	Material	Colour	Calibartion	Application
VA NX 	VG1S0009	POM + ABS	nero / black	/	BOATS TENTS BARRIERS PLATFORMS FENDERS TOYS
	VG1S0000	POM + ABS	grigio / grey	/	
	VG1S0008	POM + ABS	titanio / titanium	/	
	VG1S0007	POM + ABS	bronzo / bronze	/	
	VG1S0006	POM + ABS	cromato / chrome	/	
	VG1S0005	POM + ABS	oro / gold	/	
Valve Keys 	RH0S0023	/			

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

INFLATION VALVES

Item	Part number	Material	Colour	Calibartion	Application
VA 2005 	VG2N0002	POM + ABS	grigio / grey	/	SUP KITE/KAYAK BOATS TENTS BARRIERS PLATFORMS FENDERS TOYS
VA 2005 	VG2N0003	POM + ABS	nero / black	/	
VA 2005/A 	VG2N0004	POM + ABS	grigio / grey	/	
VA 2005/A 	VG2N0005	POM + ABS	nero / black	/	
VA 2005 SUP + MESH 	A102870N	POM + ABS	grigio / grey	/	
BRAVO 2000 	A102706N	PA6 + POM	grigio / grey	/	
BRAVO 2000 	A102705N	PA6 + POM	nero / black	/	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

INFLATION VALVES

Item	Part number	Material	Colour	Calibartion	Application
BRAVO 2001 	A102700N	PA6 + POM	grigio / grey	/	SUP KITE/KAYAK BOATS TENTS BARRIERS PLATFORMS FENDERS TOYS
BRAVO 2001 	A102701N	PA6 + POM	nero / black	/	
BRAVO 2014 	A102717N	PA6 + POM	grigio / grey	/	
BRAVO 2014 	A102716N	PA6 + POM	nero / black	/	
ART. 721 	A942010N	ABS	grigio / grey	/	
BRAVO 2014 + MESH 	A102718N	PA6 + POM	grigio / grey	/	
BRAVO 260 H.V. BUTTERFLY 	VG3N0001	POM + ABS	nero / black	/	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

INFLATION VALVES

Item	Part number	Material	Colour	Calibartion	Application
MINI BOSTON 	A131100N	POM + PVC	nero / black	/	SUP KITE/KAYAK BOATS TENTS BARRIERS PLATFORMS FENDERS TOYS
ART. 230 	A101230	NYLON	nero / black	/	
ART. 677 	K6892009	NYLON	nero / black	/	
ART. 677 	AA401677	NYLON	nero / black	/	
ART. 687 	KA401687	PVC	nero / black	/	
ART. 688 	KA402688	PU	nero / black	/	
SP Z183 	R801374	PA12 + ABS	nero / black	/	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

INFLATION VALVES

Item	Part number	Material	Colour	Calibartion	Application
PVC MINI VALVE 	VG1N0004	PVC BASE + POM	nero / black	/	*TENTS* *BARRIERS* *PLATFORMS* *TOYS*
PVC MINI VALVE 	VG1N0005	PVC BASE + POM	grigio / grey	/	
TPU MINI VALVE 	VG1N0001	TPU BASE + POM	nero / black	/	
TPU MINI VALVE 	VG1N0002	TPU BASE + POM	grigio / grey	/	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
HP VALVE 	VS2N0000	POM + ABS	nero / black	/	mbar	1.5	1.25
					psi	21.75	18.12
	VS2N0001	POM + ABS	nero / black	/	mbar	1.2	1.0
					psi	17.40	14.50
RV 70 	KA080301	POM + ABS	rosso / red	180 / 150	Pax 1000	18.0	15.0
					mbar	180	150
					psi	2.6	2.2
	KA080302	POM + ABS	nero / black	200 / 170	Pax 1000	20.0	17.0
					mbar	200	170
					psi	2.9	2.5
	KA080303	POM + ABS	grigio / grey	220 / 200	Pax 1000	23.0	20.0
					mbar	230	200
					psi	3.3	2.9
	KA080304	POM + ABS	verde / green	255 / 225	Pax 1000	25.5	22.5
					mbar	255	225
					psi	3.7	3.3
	KA080305	POM + ABS	blu / blue	280 / 250	Pax 1000	28.0	25.0
					mbar	280	250
					psi	4.0	3.6

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
RVG 70 	KA080173	POM + ABS	rosso / red	180 / 150	Pax 1000	18.0	15.0
					mbar	180	150
					psi	2.6	2.2
	KA080174	POM + ABS	nero / black	200 / 170	Pax 1000	20.0	17.0
					mbar	200	170
					psi	2.9	2.5
	KA080175	POM + ABS	grigio / grey	220 / 200	Pax 1000	23.0	20.0
					mbar	230	200
					psi	3.3	2.9
	KA080176	POM + ABS	verde / green	255 / 225	Pax 1000	25.5	22.5
					mbar	255	225
					psi	3.7	3.3
	KA080177	POM + ABS	blu / blue	280 / 250	Pax 1000	28.0	25.0
					mbar	280	250
					psi	4.0	3.6
VA 100 	A080195N	POM + ABS	verde / green	270 / 230	Pax 1000	27.0	23.0
					mbar	270	230
					psi	3.9	3.3
	A080196N	POM + ABS	giallo / yellow	300 / 270	Pax 1000	30.0	27.0
					mbar	300	270
					psi	4.3	3.9

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
VA 100 	A080197N	POM + ABS	rosso / red	350 / 310	Pax 1000	35.0	31.0
					mbar	350	310
					psi	5.1	4.5
VA 50 	A080120	PVC	bianco / white	60 / 25	Pax 1000	6.0	2.5
					mbar	60	25
	A080121	PU			psi	0.87	0.36
	A080130	PVC	rosa / pink	80 / 50	Pax 1000	8.0	5.0
					mbar	80	50
	A080131	PU			psi	1.16	0.72
	A080163	PVC	azzurro / cyan	180 / 140	Pax 1000	18.0	14.0
					mbar	180	140
	A080165	PU			psi	2.60	2.03
	A080140	PVC	oro / gold	200 / 150	Pax 1000	20.0	15.0
					mbar	200	150
	A080141	PU			psi	2.90	2.15
	A080150	PVC	blu / blue	225 / 170	Pax 1000	22.5	17.0
					mbar	225	170
	A080151	PU			psi	3.25	2.46
	A080160	PVC	arancio / orange	250 / 200	Pax 1000	25.0	20.0
					mbar	250	200
	A080161	PU			psi	3.60	2.90

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
VA 50 	A080166	PVC	nero / black	330 / 250	Pax 1000	33.0	25.0
					mbar	330	250
	A080168	PU			psi	4.79	3.63
VA 285 	A080020	POM + ABS	bianco / white	60 / 25	Pax 1000	6.0	2.5
					mbar	60	25
					psi	0.87	0.36
	A080021	POM + ABS	rosa / pink	80 / 50	Pax 1000	8.0	5.0
					mbar	80	50
					psi	1.16	0.72
	A080025	POM + ABS	azzurro / cyan	180 / 140	Pax 1000	18.0	14.0
					mbar	180	140
					psi	2.60	2.03
	A080022	POM + ABS	oro / gold	200 / 150	Pax 1000	20.0	15.0
					mbar	200	150
					psi	2.90	2.15
	A080023	POM + ABS	blu / blue	225 / 170	Pax 1000	22.5	17.0
					mbar	225	170
					psi	3.25	2.46
	A080024	POM + ABS	arancio / orange	250 / 200	Pax 1000	25.0	20.0
					mbar	250	200
					psi	3.60	2.90

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
VA 285 	A080026	POM + ABS	nero / black	330 / 250	Pax 1000	33.0	25.0
					mbar	330	250
					psi	4.79	3.63
VA 30 	A080050	PVC	bianco / white	60 / 25	Pax 1000	6.0	2.5
					mbar	60	25
	A080051	PU			psi	0.87	0.36
	A080060	PVC	rosa / pink	80 / 50	Pax 1000	8.0	5.0
					mbar	80	50
	A080061	PU			psi	1.16	0.72
	A080070	PVC	verde / green	100/65	Pax 1000	10.0	6.5
					mbar	100	65
	A080071	PU			psi	1.44	0.94
	A080080	PVC	giallo / yellow	180 / 140	Pax 1000	18.0	13.5
					mbar	180	135
	A080081	PU			psi	2.60	1.96
	A080090	PVC	oro / gold	200 / 150	Pax 1000	20.0	15.0
					mbar	200	150
	A080091	PU			psi	2.90	2.15
	A080100	PVC	blu / blue	225 / 170	Pax 1000	22.5	17.0
					mbar	225	170
	A080101	PU			psi	3.25	2.46

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
VA 30 	A080110	PVC	rosso / red	240 / 185	Pax 1000	24.0	18.5
					mbar	240	185
	A080111	PU			psi	3.48	2.68
	A080047	PVC	arancio / orange	260 / 200	Pax 1000	26.0	20.0
					mbar	260	200
	A080049	PU			psi	3.76	2.90
VA 280 	A080001	POM + ABS	bianco / white	60/25	Pax 1000	6.0	2.5
					mbar	60	25
					psi	0.87	0.36
	A080002	POM + ABS	rosa / pink	80 / 50	Pax 1000	8.0	5.0
					mbar	80	50
					psi	1.16	0.72
	A080003	POM + ABS	verde / green	100/65	Pax 1000	10.0	6.5
					mbar	100	65
					psi	1.44	0.94
	A080004	POM + ABS	giallo / yellow	180 / 140	Pax 1000	18.0	13.5
					mbar	180	135
					psi	2.60	1.96
	A080005	POM + ABS	oro / gold	200 / 150	Pax 1000	20.0	15.0
					mbar	200	150
					psi	2.90	2.15

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
VA 280 	A080006	POM + ABS	blu / blue	225 / 170	Pax 1000	22.5	17.0
					mbar	225	170
					psi	3.25	2.46
	A080007	POM + ABS	rosso / red	240 / 185	Pax 1000	24.0	18.5
					mbar	240	185
					psi	3.48	2.68
	A080008	POM + ABS	arancio / orange	260 / 200	Pax 1000	26.0	20.0
					mbar	260	200
					psi	3.76	2.90
VA 240 	A101242	POM + ABS	bianco / white	60/25	Pax 1000	6.0	2.5
					mbar	60	25
					psi	0.87	0.36
	A101239	POM + ABS	rosa / pink	80 / 50	Pax 1000	8.0	5.0
					mbar	80	50
					psi	1.16	0.72
	A101243	POM + ABS	verde / green	100/65	Pax 1000	10.0	6.5
					mbar	100	65
					psi	1.44	0.94
	A101241	POM + ABS	giallo / yellow	180 / 140	Pax 1000	18.0	13.5
					mbar	180	135
					psi	2.60	1.96

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
VA 240 	A101249	POM + ABS	oro / gold	200 / 150	Pax 1000	20.0	15.0
					mbar	200	150
					psi	2.90	2.15
	A101246	POM + ABS	blu / blue	225 / 170	Pax 1000	22.5	17.0
					mbar	225	170
					psi	3.25	2.46
	A101240	POM + ABS	rosso / red	240 / 185	Pax 1000	24.0	18.5
					mbar	240	185
					psi	3.48	2.68
	A121238	POM + ABS	arancio / orange	260 / 200	Pax 1000	26.0	20.0
					mbar	260	200
					psi	3.76	2.90
VA 20 	A101027	POM + ABS	bianco / white	60/25	Pax 1000	6.0	2.5
					mbar	60	25
					psi	0.87	0.36
	A101023	POM + ABS	rosa / pink	80 / 50	Pax 1000	8.0	5.0
					mbar	80	50
					psi	1.16	0.72
	A101021	POM + ABS	verde / green	100/65	Pax 1000	10.0	6.5
					mbar	100	65
					psi	1.44	0.94

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
VA 20 	A101020	POM + ABS	giallo / yellow	180 / 140	Pax 1000	18.0	13.5
					mbar	180	135
					psi	2.60	1.96
	A101025	POM + ABS	oro / gold	200 / 150	Pax 1000	20.0	15.0
					mbar	200	150
					psi	2.90	2.15
	A101022	POM + ABS	blu / blue	225 / 170	Pax 1000	22.5	17.0
					mbar	225	170
					psi	3.25	2.46
	A101024	POM + ABS	rosso / red	240 / 185	Pax 1000	24.0	18.5
					mbar	240	185
					psi	3.48	2.68
	A101028	POM + ABS	arancio / orange	260 / 200	Pax 1000	26.0	20.0
					mbar	260	200
					psi	3.76	2.90
VA 21 	A101170N	POM + ABS	bianco / white	60/25	Pax 1000	6.0	2.5
					mbar	60	25
					psi	0.87	0.36
	A101160N	POM + ABS	rosa / pink	80 / 50	Pax 1000	8.0	5.0
					mbar	80	50
					psi	1.16	0.72

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
VA 21 	A101150N	POM + ABS	verde / green	100/65	Pax 1000	10.0	6.5
					mbar	100	65
					psi	1.44	0.94
	A101140N	POM + ABS	giallo / yellow	180 / 140	Pax 1000	18.0	13.5
					mbar	180	135
					psi	2.60	1.96
	A101130N	POM + ABS	oro / gold	200 / 150	Pax 1000	20.0	15.0
					mbar	200	150
					psi	2.90	2.15
	A101120N	POM + ABS	blu / blue	225 / 170	Pax 1000	22.5	17.0
					mbar	225	170
					psi	3.25	2.46
	A101110N	POM + ABS	rosso / red	240 / 185	Pax 1000	24.0	18.5
					mbar	240	185
					psi	3.48	2.68
	A101100N	POM + ABS	arancio / orange	260 / 200	Pax 1000	26.0	20.0
					mbar	260	200
					psi	3.76	2.90
	A101180N	POM + ABS	nero / black	350 / 300	Pax 1000	35.0	30.0
					mbar	350	300
					psi	5.07	4.35

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

RELIEF VALVES

Item	Part number	Material	Colour	Calibartion	Unit	Opening	Closing
ART. 695 	A101261	NYLON	grigio / grey	/	/	/	/
ART. 295 	A080200	PVC	rosa / pink	60 / 25	Pax 1000	6.0	2.5
					mbar	60	25
	A080208	PU			psi	0.87	0.36
	A080202	PVC	bianco / white	80 / 50	Pax 1000	8.0	5.0
					mbar	80	50
	A080210	PU			psi	1.16	0.72
ART. 297 	A080230	PVC	bianco / white	/	/	/	/
	A080234	PU					
ART. 296 	A080220	PVC	bianco / white	/	/	/	/
	A080224	PU					

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
SP 98/1.0 	R201098	/	nero / black	/	1 bar (14.5 psi)
SP 98/0.5 	R201099	/	nero / black	/	0.5 bar (7.3 psi)
SP 236 	R201110	/	nero / black	/	0-2 bar (0-29 psi)
SP 237 	R201111	/	nero / black	/	0-1 bar (0-14.5 psi)
SP 90 SUP 	R551097N	/	nero / black	/	0.5-1 bar (7.3-14.5 psi)
SP 90-2 SUP 	R551002N	/	nero / black	/	0-2 bar (0-29 psi)
SP 90 S 	R551098N	/	nero / black	/	2 bar (29 psi)

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
SP 90 B 	R551093N	/	nero / black	/	1 bar (14.5 psi)
SP 125/1.0 	R551091N	/	nero / black	/	1 bar (14.5 psi)
SP 125/0.5 	R551094N	/	nero / black	/	0.5 bar (7.3 psi)
SP 119/HR/0.5 	R151093N	/	nero / black	/	0.5 bar (7.3 psi)
SP 119/HR/1.0 	R151094N	/	nero / black	/	1 bar (14.5 psi)
SP 119/2005/0.5 	R151096N	/	nero / black	/	0.5 bar (7.3 psi)
SP 119/2005/1.0 	R151095N	/	nero / black	/	1 bar (14.5 psi)

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
SP 199/ADJ/0.5 	R151092N	/	nero / black	/	0.5 bar (7.3 psi)
SP 199/ADJ/1.0 	R151090N	/	nero / black	/	1 bar (14.5 psi)
HANDLE 333 	A158416N	PVC	nero / black	90 x 280 x 65 mm	HANDLE
HANDLE 333 	A158406N	PVC	grigio / grey	90 x 280 x 65 mm	HANDLE
HANDLE 331 	A158410N	PVC	nero / black	90 x 245 x 47 mm	HANDLE
HANDLE 331 	A158412N	PVC	grigio / grey	90 x 245 x 47 mm	HANDLE
HANDLE 322 	A151322N	PVC	nero / black	90 x 220 x 32 mm	HANDLE

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
HANDLE 322 	A151323N	PVC	grigio / grey	90 x 220 x 32 mm	HANDLE
HANDLE 313 	A151313N	PVC	nero / black	100 x 210 x 38 mm	HANDLE
HANDLE 313 	A151314N	PVC	grigio / grey	100 x 210 x 38 mm	HANDLE
HANDLE 306 	A151306N	PVC	nero / black	260 x 110 x 45 mm	HANDLE
HANDLE 306 	A158306N	PVC	grigio / grey	260 x 110 x 45 mm	HANDLE
HANDLE 307 	A151307N	PVC	nero / black	260 x 110 x 45 mm	HANDLE
HANDLE 307 	A158307N	PVC	grigio / grey	260 x 110 x 45 mm	HANDLE

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
HANDLE 321 	A151321N	PVC	nero / black	70 x 205 x 46 mm	HANDLE
HANDLE 321 	A151324N	PVC	grigio / grey	70 x 205 x 46 mm	HANDLE
OAR HOLDER 681 	A309688N	PVC	grigio / grey	80 x 132 x 44 mm hole Ø32 - 35 mm	OAR HOLDER
OAR HOLDER 669 	A301669N	PVC	nero / black	64 x 91 x 41 mm hole Ø30 mm	OAR HOLDER
OAR HOLDER 669 	A309669N	PVC	grigio / grey	64 x 91 x 41 mm hole Ø30 mm	OAR HOLDER
OAR HOLDER 678 	A301678N	PVC	nero / black	75 x 118 mm hole Ø30 mm	OAR HOLDER
OAR HOLDER 678 	A309681N	PVC	grigio / grey	75 x 118 mm hole Ø35 mm	OAR HOLDER

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
ROWLOCK 140 F 	A051400N	PVC	nero / black	90 x 200 x 50 mm	ROWLOCK
ROWLOCK 140 F 	A051401N	PVC	grigio / grey	90 x 200 x 50 mm	ROWLOCK
ROWLOCK 141-90 	A051410N	PVC	nero / black	90 x 200 x 40 mm	ROWLOCK
ROWLOCK 141-90 	A051420N	PVC	grigio / grey	90 x 200 x 40 mm	ROWLOCK
ROWLOCK 145-90 	A051451N	PVC	grigio / grey	90 x 200 x 40 mm hole Ø10 mm	ROWLOCK
ROWLOCK 146-180 	A051460N	PVC	nero / black	90 x 200 x 40 mm hole Ø10 mm	ROWLOCK
ROWLOCK 146-180 	A051461N	PVC	grigio / grey	90 x 200 x 40 mm hole Ø10 mm	ROWLOCK

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
ROWLOCK 120 F 	A059133N	PVC	grigio / grey	110 x 170 x 40 mm	ROWLOCK
ROWLOCK 117 	A051117N	PVC	nero / black	150 x 220 x 30 mm	ROWLOCK
ROWLOCK 117 	A059117N	PVC	grigio / grey	150 x 220 x 30 mm	ROWLOCK
OARLOCK 620 	A351620N	PVC	nero / black	80 x 60 mm hole Ø10 mm	OARLOCK
OARLOCK BF 	S241178N	NYLON + BRASS	grigio / grey	hole Ø35 mm	OARLOCK
OARLOCK BH 	S241176N	NYLON + BRASS	grigio / grey	hole Ø35 mm	OARLOCK
OARLOCK BL 	S241173N	NYLON + BRASS	grigio / grey	hole Ø35 mm	OARLOCK

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
OARLOCK CH 	S241151N	NYLON + BRASS	grigio / grey	hole Ø32 mm	OARLOCK
OARLOCK B1 H1 	S241147N	NYLON + BRASS	grigio / grey	hole Ø35 mm	OARLOCK
END CONE 615 	A508001N	PVC	nero / black	Ø195 mm	TAIL CONE
END CONE 615 	A401611N	PVC	bianco / white	Ø195 mm	TAIL CONE
END CONE 615 	A901613N	GOMMA / RUBBER	bianco / white	Ø195 mm	TAIL CONE
CLEAT 535 	A401535N	PVC	nero / black	250 x 200 x 60 mm	CLEAT
CLEAT 535 	A401536N	PVC	grigio / grey	250 x 200 x 60 mm	CLEAT

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
ROPE LACING 444 	A201446N	/	nero / black	70 x 100 x 33 mm	ROPE LACING
ROPE LACING 444 	A201445N	/	grigio / grey	70 x 100 x 33 mm	ROPE LACING
ROPE BEARING 442 	A201443N	/	grigio / grey	88 x 58 x 26 mm	ROPE BEARING
ROPE BEARING 442 	A205401N	/	nero / black	88 x 58 x 26 mm	ROPE BEARING
ROPE BEARING 400 	A201402N	/	grigio / grey	58 x 83 x 24 mm	ROPE BEARING
ROPE BEARING 400 	A201401N	/	nero / black	58 x 83 x 24 mm	ROPE BEARING
HANDLE 300 	A151300	/	nero / black	250 x 90 x 42 mm	HANDLE

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
ROPE BEARING 401 	A291401N	/	grigio / grey	Ø75 x 19 mm	ROPE BEARING
ROPE BEARING 401 	A051135N	/	nero / black	73 x 62 x 25 mm	ROPE BEARING
MOORING PLATE 110 	A051135N	/	nero / black	95 x 175 x 22 mm	MOORING PLATE
MOORING PLATE 110 	A051137N	/	grigio / grey	95 x 175 x 22 mm	MOORING PLATE
BAORD COVER 672 	A401693N	/	nero / black	80 x 85 x 32 mm	BOARD COVER
BAORD COVER 672 	A401692N	/	grigio / grey	80 x 85 x 32 mm	BOARD COVER
ART. 634 	A401634	/	nero / black	104 x 68 x 30 mm	ROWLOCK

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
PROTECTION PLATES 695 	B184000N	PP	nero / black	223 x 84 x 5.5 mm	PROTECTION PLATES
PROTECTION PLATES 695 	B184001N	PP	grigio / grey	223 x 84 x 5.5 mm	PROTECTION PLATES
PROTECTION PLATES 696 	B184010N	PP	nero / black	308 x 104 x 5.5 mm	PROTECTION PLATES
PROTECTION PLATES 696 	B184011N	PP	grigio / grey	308 x 104 x 5.5 mm	PROTECTION PLATES
PROTECTION PLATES 697 	B184020N	PP	nero / black	300 x 209 x 7.5 mm	PROTECTION PLATES
PROTECTION PLATES 697 	B184021N	PP	grigio / grey	300 x 209 x 7.5 mm	PROTECTION PLATES
PROTECTION PLATES 698 	B184030N	PP	nero / black	430 x 324 x 6.6 mm	PROTECTION PLATES

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
PROTECTION PLATES 698 	B184031N	PP	grigio / grey	/	PROTECTION PLATES
TRANSOM HOLDER 671 	A401672N	PVC	grigio / grey	/	TRANSOM HOLDER
	A403612	NYLON	grigio / grey	/	
WATER DRAIN 612 	A403613	NYLON	grigio / grey	/	WATER DRAIN
	A403625	NYLON	grigio / grey	/	
WATER DRAIN 671 	A401311N	NYLON	nero / black	/	
WATER DRAIN 671 	A401312N	NYLON	grigio / grey	/	

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
CENTER SUP FIN BASE 	A401800N	ABS	nero / black	100 x 280 mm	SUP FINS
REMOVABLE CENTER SUP 	A401801N	PA6 + 30% FIBERGLASS	nero / black	220 mm depth	SUP FINS
REMOVABLE SUP FIN 	A401803N	PA6 + 30% FIBERGLASS	nero / black	140 mm depth	SUP FINS
SIDE SUP FIN SMALL 	A401806N	PVC	nero / black	base 53 x 215 mm 75 mm depth	SUP FINS
SIDE SUP FIN BIG 	A401807N	PVC	nero / black	base 55 x 195mm 75 mm depth	SUP FINS
BAYWATCH 	6400300	PP / PE / PU	arancione / orange	680 x 130 x 230 mm	BAYWATCH
ART. 242 	A251242N	Expanded PVC	rosso / red	Ø100 mm	LIFE PRESERVER

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

ACCESSORIES

Item	Part number	Material	Colour	Dimensions	Application
ART. 210 	A101210	PVC	nero / black	61 x 15 x Ø29 mm	MARINE
ART. 199 	A401500	NYLON	bianco / white	35 x 33 x 15 mm Ø4 mm	MULIPURPOSE LATCH
ROPE BEARING 404 	A201404	PVC	nero / black	Ø38 x 16 mm Ø10 mm	ROPE BEARING
ROPE BEARING 403 	A201403	PVC	nero / black	Ø60 x 19 mm Ø10 mm	ROPE BEARING

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP 47 	R151047	/	nero / black	/	VALVE FITTINGS
SP 712 	R151048	/	bianco / white	/	VALVE FITTINGS
SP / 	RH0S0046	/	nero / black	/	FITTING KIT
SP Z011 	A600030	/	nero / black	/	FITTING KIT
SP 120 	R551120	/	nero / black	/	FOR BRAVO 2000
SP 118 	R151062	/	nero / black	/	FOR BRAVO 2001 / BRAVO 2004
SP 138 	R151064	/	grigio / grey	/	ADJUSTABLE BAYONET FITTING

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP Z023 	R210031	/	nero / black	/	ADJUSTABLE BAYONET FITTING
SP 139 	R151065	/	grigio / grey	/	FOR BRAVO 2005
SP Z022 	R210030	/	nero / black	/	FOR BRAVO 2014
SP 143 	R151068	/	grigio / grey	/	Ø20 - Ø25 mm TRIPLE FITTINGS
SP 25 	R151054N\	EPDM + EVA	nero / black	1.7 m - Ø20 mm	BRAVO FOOT PUMP
SP Z184 	R333370	EPDM	nero / black	1.25 m - Ø20 mm	VALVE FITTINGS
GE BTP-2 HOSE 	RH0S0024	EPDM	nero / black	1.25 m - Ø20 mm	VALVE FITTINGS

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP 218 	R151035	EPDM	nero / black	1.25 m - Ø20 mm	FOR GE 20-2 / GE 25
SP 217 	R151052	PU	nero / black	1.5 m - Ø25 mm	FOR OV / 900 SERIES
SP Z185 	R811116N	PVC	nero / black	1.5 m - Ø25 mm	FOR OV 4
SP Z189 	R990048	EPDM	nero / black	1.25 m - Ø25 mm	FOR GE BTP SERIES
SP Z190 	R990049	EPDM	nero / black	1.5 m - Ø25 mm	FOR GE 20-2 / GE 25
SP 212 B 	R151020N	LPDE + EVA	nero / black	1.25 m - Ø20 mm	FOR GM 4 ALU R.E.D KITE
SP 212 BK 	R151021N	LPDE + EVA	nero / black	1.25 m - Ø20 mm	FOR GM 4 ALU R.E.D

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP 235 	R151051	PVC	nero / black	1.25 m - Ø21 mm	FOR HAND PUMPS
SP 14 	R151014	PVC	nero / black	1.7 m - Ø21 mm	FOR BRAVO 1 / 2
SP Z180 	R151087	PVC	nero / black	1.7 m - Ø21 mm	FOR GP 10
SP Z141 	R151078	PVC	nero / black	1.7 m - Ø21 mm	FOR GP 5
SP Z094 	R990023	EPDM	nero / black	1.25 m - Ø20 mm	FOR BP / BTP SERIES
SP hose 	RH0S0050	PU	nero / black	1.5 m - Ø25 mm	FOR GE 900 SERIES
SP 215 	R151030	PU	nero / black	1.5 m - Ø25 mm	FOR OV / GE 2000 / GE 900 SERIES

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
HOSE 	RH0S0030	EPDM	nero / black	1.5 m - Ø40 mm	FOR GE 1800 & GE 3600 EVO SERIES
SP 209 	R151029N	/	nero / black	/	O-RING FOR BRAVO SUP / SUP-3
SP 46 	R151046	/	nero / black	/	FOR BRAVO 1 / 2 / 10 SERIES
SP Z013 	R210017	/	nero / black	Ø40 mm	FOR BRAVO 2000 SERIES
SP 106 	R251012	/	nero / black	/	PUSH-PIN FOR SUP
SP Z026 	R210034	PVC	nero / black	Ø20 - Ø25 mm	REDUCTION HOSE
SP 216 	R201020	/	nero / black	/	CLOSING CLIP GP 10

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP 17 	R101017	/	nero / black	/	ADHESIVE FOR PVC
SP 55 	R101065	/	nero / black	/	GLUE KIT AND PVC FOIL
SP 50 	R101060	/	nero / black	/	REPAIR KIT
SP 129/2005/G 	R601148	/	nero / black	/	BRAVO 2005
SP 129/2005/G 	R601147	/	nero / black	/	BRAVO 2005
SP 129/2001/G 	R601130	/	nero / black	/	BRAVO 2001
SP 129/2001/B 	R601129	/	nero / black	/	BRAVO 2001

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP 129/2000/G 	R601146	/	grigio / grey	/	BRAVO 2000
SP 129/2000/G 	R601145	/	nero / black	/	BRAVO 2000
SP Z183 	R801374	/	grigio / grey	/	KEY FOR 260 H.V.
SP Z182 	R801372	/	grigio / grey	/	KEY FOR VA 280 / VA 30 / VA 50 / VA 285
SP 136 	R601141	/	grigio / grey	/	KEY FOR BRAVO VALVES
SP 43 	R201043	/	nero / black	/	BOSTON VALVE
VA NX CORE 	RH4N0000	/	grigio / grey	/	VA NX BODY

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP 75/B 	R601075	/	nero / black	/	EMPTY PLUG
SP 103 	R601076	/	nero / black	/	EMPTY PLUG
SP 21 	R210021	/	nero / black	/	BATTERY
SP #33 	R990033	/	nero / black	/	BATTERY CHARGER FOR GE 20-2 / GE 25 / GE 22
SP 221 	R151038	/	/	/	12 V CIGARETTE PLUG
Alligators 	WL0S0023	/	/	/	POWER CABLE WITH ALLIGATOR
SP Z157 	R990070	/	/	/	POWER CABLE WITH CIGARETTE PLUG

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP Z149 	R990062	/	red / rosso	/	/
SP Z028 	R210036	/	nero / black	/	HAND PUMPS BAG
SP 225 	R151042	/	nero / black	/	TURBO MAX BAG
SP 227 	R151044	/	nero / black	/	GE 20-2 BAG
SP Z140 	R151077	/	nero / black	/	GE 25 / GE 22 BAG
SP Z139 	R151075	/	nero / black	/	BAG FOR BTP SERIE
SP Z138 	R151074	/	nero / black	/	GE BP / GE BP-1 BAG

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SPARE PARTS

Item	Part number	Material	Colour	Dimensions	Application
SP 105 	R251010N	/	/	/	SCREW COLLAR FOR SUP
SP Z040 	R212003	/	/	/	NBR FOAM HANDLE FOR SUP
SP 15 	R151015	/	grigio / grey	/	FOR BP / GE 22 SERIES
SP 16 	R151016	/	nero / black	/	FOR BP / GE 22 SERIES

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

02. Out of Catalogue - On demand

Products & details *65-74*

The following products are outside our standard catalog, but available upon request.



OKTO





DESIGN FOR FLEXIBILITY

Position the panel anywhere and manage settings with ease.

Designed for seamless integration aboard luxury yachts, OKTO delivers fast, safe inflation up to 1000 mbar for tenders, SUPs, platforms, and fenders.
Each system is fully customizable in performance, design, and finish.

- Dual motor up to **1Bar (14.5 PSI)**
- **2000 l/m** max air flow
- **Same port** Inflation/Deflation
- **Automated** pressure control
- **Remote** control panel

INSTALLATION


Flexible for new builds or retrofits in secure vessel areas and engine rooms, with concealed, protected air connections.



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OKTOPLUS

Customizable





MULTI-PURPUSE SYSTEM

The control panel allows full management of all parameters and settings.
It provides real-time monitoring of temperatures, inflation status, and P.C.S. functionality, with each port operating independently.

High-efficiency inflation / deflation system featuring P.C.S. technology.
This robust, high-performance unit ensures safety through continuous pressure monitoring, preventing emergencies.
Delivering up to 1000 mbar with high airflow, it is the ideal compact solution for demanding operations.

- Dual motor up to **1Bar (14.5 PSI)**
- **4000 l/m** max air flow
- **Same port** Inflation/Deflation
- **Automated** pressure control
- **110/230 Multi-voltage**




Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.


OKTOPLUS


Tailored for superyachts and cruise ships, this high-capacity system optimizes the inflation and deflation process through distributed, intuitive control interfaces.

Customizable









RIBS


FENDERS

SLIDE

TOYS

PLATFORM

FURNITURE



Dual motor up to **1Bar (14.5 PSI)**

4000 l/m max air flow

Same port Inflation/Deflation

Automated pressure control

Remote control panel

DESIGN FOR FLEXIBILITY

Engineered for naval vessels, this modular station delivers maximum operational flexibility.

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

OKTOPLUS

ALL INFLATABLES

Independent ports and continuous Pressure Control System (P.C.S.) monitoring ensure precise, safe pressure control.



CREW FRENDLY

Simple controls and minimal parts ensure fast, effortless inflatable management on board.

ALL INFLATABLES

High-performance inflation up to 1 bar, with automatic shut-off.

THE LUXURY OF TIME

Rapid system performance means instant inflatable prep for your guests.



HIDDEN SYSTEM

Ideal for new builds or refits, with a concealed inflator connected to control panels by internal hoses.




CONTROL PANEL

Position control panels for peak maneuverability and workflow. Finishes can be tailored to your exact specifications.

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

GE 2K





Compact, high-performance system for permanent installation.
Controlled via the main Rib dashboard or the remote control, where the connections to the inflatable's inflation chambers are all concealed.

- Up to **350 mbar (4.4 PSI)**
- **2000 l/m** max air flow
- **Same port** Inflation/Deflation
- **Automated** pressure control
- **24 Vdc**



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

GE 3600 EVO MANIFOLD





Equipped with a four-way manifold, it can connect to multiple hoses simultaneously, enabling more controlled, secure, and evenly distributed inflation.

This inflator makes routine operations faster and safer.
Designed for fenders and large inflatables, it features an IP65-rated enclosure for outdoor use in harsh weather.
Inflation hoses are available separately in custom lengths.

- Up to **600 mbar (8.7PSI)**
- **Automated** pressure control
- **4000 l/m** max air flow
- **Manifold** up to 4 output



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

GE 700



Customizable



OPTIONAL

Via a dedicated web app, you can set pressure limits and enable the automatic maintenance system, which responds immediately if a leak occurs.

GE 700 combines cutting-edge mechanics and electronics in a portable case with an IP 65 protection rating.

- Up to **700 mbar (10.1 PSI)**
- **1600 l/m** max air flow
- **Automated** pressure control
- **48 Vdc** with batteries



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

GE 1250



Customizable



OPTIONAL

Via a dedicated web app, you can set pressure limits and enable the automatic maintenance system, which responds immediately if a leak occurs.

Engineered for high-pressure output and maximum airflow, the GE 1250 features a rugged housing built for dependable performance in demanding applications.


- Up to **1.25 bar (18.1 PSI)**
- **Automated** pressure control
- **1000 l/m** max air flow
- **24 Vdc** with batteries



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

GE 26-RC





Remote control version, ideal for installation on any boat.
Thanks to the touchscreen control panel, you can quickly and easily inflate any inflatable on board.

Remote control version, ideal for installation on any boat.
Thanks to the touchscreen control panel, you can quickly and easily inflate any inflatable on board.

- Up to **1.5 bar (22 PSI)**
- **1000 l/m** max air flow
- **Automated** pressure control
- **12 / 24 Vdc | 120 / 230 Vac**



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

GE OV 10 Series



OPTIONAL GE OV 10/40


Version with Ø 40 mm port and hose. An efficient and robust choice for all high-speed inflation needs, delivering professional performance and ease of use in a single device

Series of compact inflators comes equipped with Ø 25 mm PU hoses and features an integrated sand filter for reliable protection against debris.
Designed for versatile performance, each unit offers both inflation and deflation capabilities.

Up to **250 mbar (3.6 PSI)**

120 / 230 Vac

1700 l/m max air flow



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

GM 110 MIL



It offers total versatility with both inflation and deflation capabilities, alongside a manual lever switch that allows seamless toggling between double and single action.

Engineered specifically for military forces and emergency response teams, this high-performance pump is constructed with high-impact, shock-resistant metal and reinforced polymer components.

Up to **1 bar (14.5)**

Double / Single action

2 x 2500 cc



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.



03. Custom request

Leveraging years of expertise and experience, Scoprega is dedicated to technical support and guiding clients toward the ideal solution.


CUSTOM REQUEST

Looking for an inflator that isn't in our catalog, a modification to an existing product, or performance that goes beyond our standard specifications?

Thanks to our expert technical department, **we provide the consulting and support you need to make the right choices and develop your project.**

At Scoprega, we believe a **tailor-made approach is essential.**

Whether you are looking for a complete customized system or a single, purpose-built component designed to **deliver the ultimate customer experience.**



Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.

SCOPREGI

STAY CONNECTED

Building strong, lasting relationships with customers, suppliers, and partners is at the heart of our business. By understanding our customers' unique needs, we provide personalized service and foster long-term loyalty. Likewise, maintaining positive partnerships with our suppliers ensures a consistent supply of high-quality products.

Please find your dedicated **Sales Area Manager** below:

Cristina Brusamolino | brusamolino@scoprega.it
Western Europe, Latin America, North Africa, and SE Asia (including France, Spain, Brazil, and Vietnam).

Valentina Facchinetti | facchinetti@scoprega.it
Oceania, Middle East, Eastern Europe, Italy, Israel, Japan, and Canada.

Andrea Grassi | a.grassi@scoprega.it
DACH Region, Northern Europe, Poland.

Nicole Locatelli | n.locatelli@scoprega.it
UK and USA.

customercare@scoprega.it
Customer Care Responsible

Stay up to date with the world of Scoprega. Follow us on Instagram and LinkedIn for exclusive product insights, technical articles, and our latest releases.

Contact Us

- Via L. Da Vinci 63 - Cassano d'Adda (Milan) Italy 20062
- info@scoprega.it
- +39 036364240

Become a Partner

Whether you are a shipyard, retailer, or manufacturer, let's discuss how our products can elevate your business.

- **In-house Design & Production:** Authentic "Made in Italy" excellence.
- **Bespoke Solutions:** Full product customization to meet your needs.
- **Quality Assurance:** ISO 9001 certified processes.
- **Technical Support:** Dedicated assistance from our expert team.

Discore more on **www.scoprega.com**

AI GENERATED

This file includes AI-generated images, in compliance with EU transparency regulations.

Private and confidential document. Property of Scoprega S.r.l., Cassano d'Adda, Italy. Do not copy, reproduce or share without permission.







look beyond