OSCULATI

Eclipse latches

An integrated range, for all applications.
The perfect solution for small hatches or large lockers.



PULL LATCH HANDLE

38.164.00 - Large ergonomic handle for an extremely easy grip, flush deck design.






Eclipse anti-vibration pull latch handle

EXTRA LARGE HANDLE


Featuring an extremely easy grip:
- mirror-polished AISI316 stainless steel;
- flush deck design;
- large ergonomic handle;
- spring retractable handle;
- plastic spacer with marks for customized cut.

Code	External Ø mm	Bore Ø mm	Hatch thickness Ø mm
38.164.00	60	50	0-24



PUSH LOCK

38.163.01/02 - Easy opening from both inside and outside, flush deck design.



Eclipse PUSH LOCK slam latch (push closure)


EXTRA LARGE HANDLE

Featuring an extremely easy grip:
- mirror-polished AISI316 stainless steel;
- flush deck design;
- large ergonomic handle;
- spring retractable handle;
- it opens from inside and outside.

Code	Lock	For thickness mm	External Ø mm	Recess Ø mm
38.163.01	No	9-19	60	50
38.163.02	Yes	9-19	60	50



◢ Key for 38.163.02





◢ 38.163.01




◢ 38.163.02

LIFT & TURN compression latch

38.161.XX - Characterized by a particularly easy grip, they enclose all the best features of the pull latches in a single model.

Video







Key

Eclipse LIFT & TURN compression latch - SMALL

COMPRESSION SYSTEM

EXTRA LARGE HANDLE

Featuring a very comfortable grip, it offers all the best characteristics in a single flush deck design model.
- Flush design;
- large ergonomic handle;
- 360° rotation;
- handle can be lowered every 90°;
- open/close indicator;
- ergonomic nut for easy calibration and emergency exit;
- straight cam suitable for sliding doors;
- two-position cam;
- plastic spacer with marks for customized cut.



◢ 38.161.01




◢ 38.161.02



◢ Key for 38.161.02

Code	Lock	Outer Ø mm	Bore Ø mm	Bulkhead thickness mm	Stop stroke mm
38.161.01	No	60	50	3-26	22-94
38.161.02	Yes	60	50	3-26	22-94




◢ Universal straight cam included



◢ Spacer included



◢ Angled cam included



Eclipse LIFT & TURN compression latch - MEDIUM

COMPRESSION SYSTEM

EXTRA LARGE HANDLE

Featuring a very comfortable grip, it offers all the best characteristics in a single flush deck design model.
- Flush design;
- large ergonomic handle;
- 360° rotation;
- handle can be lowered every 90°;
- open/close indicator;
- ergonomic nut for easy calibration;
- ergonomic nut for emergency exit;
- straight cam suitable for sliding doors and having two different positions;
- two-position cam;
- plastic spacer with marks for customized cut.



◢ 38.161.31




◢ 38.161.32



◢ Key for 38.161.32; 38.161.4x


Code	Lock	Outer Ø mm	Bore Ø mm	Bulkhead thickness mm	Stop stroke mm	Kit	No. of latches per kit (same key)
38.161.31	No	75	60	5-36	30-101	No	-
38.161.32	Yes	75	60	5-36	30-101	No	-
38.161.42	Yes	75	60	5-36	30-101	Yes	2
38.161.43	Yes	75	60	5-36	30-101	Yes	3
38.161.44	Yes	75	60	5-36	30-101	Yes	4
38.161.45	Yes	75	60	5-36	30-101	Yes	5




◢ Universal straight cam included



◢ Spacer included



◢ Angled cam included






Eclipse LIFT & TURN compression latch - BIG


COMPRESSION SYSTEM

EXTRA LARGE HANDLE

Featuring a very comfortable grip, it offers all the best characteristics in a single flush deck design model.
- Flush design;
- large ergonomic handle;
- 360° rotation;
- handle can be lowered every 90°;
- open/close indicator;
- ergonomic nut for easy calibration and emergency exit;
- straight cam suitable for sliding doors and with two possible positions;
- plastic modular spacer for different thickness bulkwards.

Code	Lock	Outer Ø mm	Bore Ø mm	Bulkhead thickness mm	Stop stroke mm
38.161.51	No	100	87	5.5-33	30-103





◢ Angled cam included



◢ Spacer included



ACCESSORIES

Spares for Eclipse lift and turn latch

Their different shapes easily fit multiple hatches or applications.



◢ 38.161.80



◢ 38.161.81



◢ 38.161.82



◢ 38.161.90



◢ 38.161.91

Code	Description	Compatible models
38.161.80	Cam/lever	38.161.01/02/31/32/42/43/44/45/51
38.161.81	Cam/lever	38.161.01/02
38.161.82	Cam/lever	38.161.31/32/42/43/44/45
38.161.90	Spacers	38.161.01/02; 38.162.00; 38.152.40
38.161.91	Spacers	38.161.31/32/42/43/44/45

QUICK CHOICE



Selected by the best shipyards

ABSOLUTE

FOUNTAINE PAJOT

X-Yachts
WORLD CLASS SINCE 1979

GALEON

NAUTITECH

BELLA

Nordkapp

Osculati S.r.l.
Via Pacinotti, 12 - 20090 Segrate (MI)
Tel +39 02 2699 111 - info@osculati.it

Osculati & C. S.p.A.
Via di Sottopoggio - 55012 Capannori (LU)
Tel +39 0583 403 232 - info@lucca.osculati.it

Code 70.199.30-01EN

8 033137 194696

FSC
www.fsc.org
MISTO
Carta da fonti gestite in maniera responsabile
FSC® C120386